

# CATALINA-QT

PREMIUM SERIES VINYL WINDOWS

FEATURING ANLIN'S EXCLUSIVE ——

# **Q**UADRA**T**HERM<sup>™</sup>

ULTIMATE DUAL PANE INSULATION SYSTEM





## CATALINA-QT

The Industry's

Most Energy Efficient

Dual Pane Windows




Catalina-QT - featuring Anlin's exclusive QuadraTherm™ Ultimate Dual Pane Insulation System - gives you tomorrow's energy performance today. In addition to unmatched thermal performance, Catalina-QT offers year-round beauty, security and comfort that you'll enjoy every day. Each window is custom-built for your home using proprietary materials and craftsmanship that are the hallmarks of Anlin Window Systems. Quite simply Catalina-QT is one of the wisest investments you can make in your home.



## Start Enjoying Tomorrow's Energy Performance TODAY!

Catalina-QT windows deliver up to 34% better energy performance than the 2014 Energy Star requirement and even outperform typical triple pane products. With QuadraTherm™ Ultimate Dual Pane Insulation System, available only on Anlin windows, better science means you'll use less energy to cool and heat your home.


- **40%** more efficient SHGC and 34% more efficient U-Factor than typical vinyl low-E products.
- **34%** more efficient U-Factor and 30% more efficient SHGC than 2014 Energy Star requirement.
- 16% more efficient SHGC and 8% more efficient U-Factor than typical triple pane vinyl products.



The combination of having the best U-Factor and Solar Heat Gain Coefficient (SGHC) means that Catalina-QT with QuadraTherm™ protects your home 365 days a year - providing maximum cost savings, comfort, and peace of mind.



#### The Industry's Most Energy Efficient Dual Pane Windows





## Patented 14-Layer Solar Reflective Coating

Keeps the sun's heat from transmitting through the window into your home on hot, sunny days - blocking 95% of harmful UV rays.



#### Patented Multi-Layer Heat Retention Coating

Keeps your home's interior heat from transmitting through the window out of your home when it's cold outside.



#### Platinum Elite Warm Edge Spacer

Multi-chambered structural silicone foam spacer is a powerful insulator – the most advanced and efficient spacer on the market.



#### Argon Gas "Flood Filled"

Turns the space between glass panes into a highly effective thermal barrier. "Flood filled" technology quarantees 90-95% fill rate.

## With Catalina-QT ... Better is Standard

# Better Antimicrobial Protection

Antimicrobial protection inhibits the growth of stain and odor causing bacteria, mold and mildew. Infused into our weatherstrips and BetterVue® screens, this protection won't wash or wear away for the life of these parts. And





Breathe easier and cleaner, whether your windows are open or closed.

## Better Weatherstrips

#### **Triple-Fin Weatherstrip**

Catalina-QT's state-of-the-art weatherstrip features three fins, plush filler and a durable backer all infused with antimicrobial protection.



#### **Better Screens**





## BetterVue® Screens See And Feel The Difference

Anlin's BetterVue® screens allow a much clearer view than standard screens. At the same time, they increase airflow and protect better against insects. The screen mesh is infused with antimicrobial protection.





## CATALINA-QT

Available in a range of style and design options, Catalina-QT will fit you ... and your home ... beautifully

#### **EVEN SIGHT LINES**

The viewable glass area is the same on the fixed and the moveable sashes, creating a sleek, symmetrical sight line.





FRAME COLORS

White (Standard)

Tan (Standard) THERMACOAT™
SOLAR REFLECTIVE
EXTERIOR COLORS
(Optional)



#### SAMPLE CONFIGURATIONS















Singe Hung

Single Slider

**XOX Slider** 

Picture

SH / Picture / SH

Geometric

Picture Over Slider

#### GRID STYLES (Optional)



5/8" Flat 5/8" Sculptured



1" Sculptured

#### CASING STYLES (Optional)



Double Wall Beveled Flush Fin



Brick Mould **Multi-Tiered Casing** 

#### GRID PATTERNS (Optional)



Colonial







#### TRUE-ACTION LOCK (Optional) This system automatically locks when the sash is closed. The positive detent in the button allows for easy operation. Both True-Action Lock and standard pull-tight cam lock pass stringent California Forced Entry test. Available in 5 colors.







Brass







Bronze




Window System

## "Quality Windows from Our Family to Yours"

### MORE THAN A SLOGAN— IT'S A WAY OF LIFE

Anlin is family owned, so we don't answer to investors. We answer to you. From our Full Lifetime Warranty for homeowners to our trained team of technicians, we ensure that you will always be happy with the performance of your windows and the service you receive. Should you ever need to call us, a friendly person will answer the phone, and the Anlin team will promptly address your request.







THE WINDOWS YOU CHOOSE AFFECT YOUR ENVIRONMENT

# All Anlin Products Exceed Energy Star Requirements

Anlin continues to lead the fenestration industry building the most energy efficient windows that deliver both overall and long term performance while protecting our natural resources. Our innovative production practices result in windows that are good for the environment and great for your pocket book.

# Your Sustainable Window Solution

Close to 50% of the 110 million homes in the U.S. still have inefficient single-pane windows. This contributes up to 35% of the energy wasted in buildings and 10% of the carbon emissions in the U.S. each year. Choosing Anlin's highly efficient dual-pane windows is a beautiful way to do your part for the environment.

# At Anlin, we are committed to:

Conserving resources ... by manufacturing the most energy efficient windows. You will use less energy to heat and cool your home, and even less water to keep them clean.

Reducing landfills ... by using more sustainable materials and construction practices. Your windows will stay on your home longer and stay out of landfills.

Recycling materials ... by reclaiming and reusing almost all by-products in our manufacturing process, including glass, vinyl, water and shipping materials.

#### THERMAL PERFORMANCE DATA

WINDOW STYLE	Total Unit U-Factor <sup>1</sup>	Solar Heat Gain Coeff. <sup>2</sup>	Visible Light Transmittance <sup>3</sup>	UV Block⁴
Typical Single Hung [Dual Pane Clear]	0.49	0.62	82%	42%
Catalina-QT Single-Hung [QuadraTherm™ with Argon]	0.23	0.21	57%	95%
Typical Single Slider [Dual Pane Clear]	0.49	0.62	82%	42%
Catalina-QT Single-Slider [QuadraTherm™ with Argon]	0.23	0.21	57%	95%
Typical Picture Window [Dual Pane Clear]	0.48	0.67	82%	42%
Catalina-QT Picture-Window [QuadraTherm™ with Argon]	0.21	0.22	57%	95%

# Catalina-QT windows with QuadraTherm™ Ultimate Dual Pane Insulation System leads the industry in thermal performance.

- 1 U-factor represents the amount of heat transfer as measured in accordance with NFRC 100-2001, calculation uses total window unit, and assumes 3/4" glazing with a 1/2" airspace. Lower is better.
- 2 Solar heat gain coefficient (SHGC) measures the amount of solar radiation entering the building. As measured per NFRC 200-2001 with the Window 4.1 and Frame 4.1 modeling programs. Lower is better.
- 3 Visible light transmittance indicates the amount of outside light reaching the interior as calculated using center of glass. Higher percentages mean more outside light reaches interior.
- 4 Ultraviolet (UV) light block calculations performed using Lawrence Berkeley Laboratories Window 4.1 program. Percentages indicate amount of UV transmittance blocked from the interior using a 3/4" glazing unit.

# CERTIFIED TO MEET OR EXCEED EXPECTATIONS

All Anlin windows are AAMA and NFRC certified, and ENERGY STAR® qualified with:











#### **INSTALLATION STANDARDS**

Anlin Window Systems' recommends following installation standards in your local building codes, and the instructions found in the following AAMA publications:

Replacement: AAMA 2410-03: Standard for Installation of Windows with an Exterior Flush Fin Over an Existing Window Frame.

**Replacement: CAWM 420-97:** Standard for Installation of Block Frame Windows Utilizing an Existing Perimeter Wood Frame.

**New Construction: AAMA 2400-02:** Standard for Installation of Windows with a Mounting Flange in Stud Frame Construction.

#### **Anlin Window Systems**

1665 Tollhouse Rd. Clovis, CA 93611 **800-287-7996 www.anlin.com** 







